

# 4-464 - HART MVP 54" Basketball System



**WARNING:  
IMPROPER INSTALLATION  
OR SWINGING ON THE RING  
MAY CAUSE SERIOUS  
INJURY OR DEATH**



**Warning!**

Assembly by an adult

Attach basketball backboard warning  
sticker to the board before use

Please identify parts and read this manual carefully before installation.

# SAFETY INSTRUCTIONS

**FAILURE TO FOLLOW THESE SAFETY INSTRUCTIONS MAY RESULT IN SERIOUS INJUERY OR PROPERTY DAMAGE AND WILL VOID WARRANTY.**

**Do not stand the basketball hoop upright until the base is filled with water or sand, as system may tip over causing injuries.**

**Do not use system during windy and/or severe weather conditions the basketball hoop is easy to tip over, please move the system indoors.**

**Must tip the system for ward and rest the rim on as urface before adjusting the height.**

- Owner must ensure that all players know and follow these rules for safe operation of the system.
- Check entire box and inside all packing material for parts and additional instruction material.
- Before beginning assembly, read the instructions and identify parts according to this manual.
- Proper and complete assembly, use, and supervision are essential for proper operation and to reduce the risk of accident or injury.
- A high probability of serious injury exists if this system is not installed, maintained, and operated properly.

- Two capable adults are recommended for this operation.
- Check base regularly for leakage. Slow leaks could cause system to tip over unexpectedly.
- Seat the pole sections properly(if applicable). Failure to do so could allow the pole sections to separate during play and transport of the system.
- Climate, corrosion, or misuse could result in system failure.
- This equipment is intended for home recreational use only and not excessive competitive play.
- The life of your basketball pole depends on many conditions. The climate, placement of the pole, Location of the pole,exposure to corrosives such aspesticides, herbicides, or salts are all important.
- If technical assistance is required, contact Customer Service.

- Manufacturer recommends filling the base with sand, not water. If you choose to use water, ALWAYS check for leaks. Leaking water will lighten the base and cause the system to become unstable and tip over.
- Empty water completely from the base, or add 2 gallons (7.57 liters) of anti-freeze, before the temperature approaches or falls below the freezing point. Freezing water may crack the base and cause leaks. This will result in failure of the system, and could result in serious injury.
- For residential use only! NOT for commercial use! DO NOT use this product for other than its intended purpose. Any commercial, public, or institutional use voids all warranties.

**Most injuries are caused by misuse and not following instructions. Use caution when using this system.**





## SAFETY INSTRUCTIONS



Owner must ensure that all players know and follow these rules for safe operation of the system.

To ensure safety, do not attempt to assemble this system without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use, and supervision are essential for proper operation and to reduce the risk of accident or injury. A high probability of serious injury exists if this system is not installed, maintained, and operated properly.

- If using a ladder during assembly, use extreme caution.
- Four(4) capable adults are recommended for this operation.
- Check base regularly for leakage. Slow leaks could cause system to tip over unexpectedly.
- Seat the pole sections properly (if applicable), Failure to do so could allow the pole sections to separate during play and/or transport of the system.
- Climate, corrosion, or misuse could result in system failure.
- Minimum operational height is 6' 6" (1.98 m) to the bottom of backboard.
- This equipment is intended for home recreational use only and NOT excessive competitive play.
- Read and understand the warning label affixed to pole.
- The life of your basketball pole depends on many conditions., The climate, placement of the pole, location of the pole, exposure to corrosives such as pesticides, herbicides, or salts are all important.
- Adult supervision is recommended when adjusting height.



## WARNING

Read and understand warnings listed below before using this product. Failure to follow these warnings may result in serious injury and/or property damage.


Owner must ensure that all players know and follow these rules for safe operation of the system.

- DO NOT HANG on the rim or any part of the system including backboard, support braces or net.
- During play, especially when performing dunk type activities, keep player's face away from the backboard, rim and net.
- Serious injury could occur if teeth/face come in contact with backboard, rim or net.
- Do not slide, climb, shake or play on base and/or pole..
- After assembly is complete, fill system completely with water or sand. Never leave system in an upright position without filling base with weight, as system may tip over causing injuries.
- When adjusting height or moving system, keep hands and fingers away from moving parts.
- Do not allow children to move or adjust system.
- During play, do not wear jewelry (rings, watches, necklaces, etc.). Objects may entangle in net.
- Surface beneath the base must be smooth and free of gravel or other sharp objects.
- Punctures cause leakage and could cause system to tip over.
- Keep organic material away from pole base. Grass, litter, etc. could cause corrosion and/or deterioration.
- Check pole system for signs of corrosion (rust, pitting, chipping) and repaint with exterior enamel paint. If rust has penetrated through the steel anywhere, replace pole immediately.
- Check system before each use for proper ballast, loose hardware, excessive wear and signs of corrosion and repair before use.
- Check system before each use for instability.
- Do not use system during windy and/or severe weather conditions; system may tip over. Place system in the storage position and/or in an area protected from the wind and free from personal property and/or overhead wires.
- Never play on damaged equipment.
- When moving system, use caution to keep mechanism from shifting.
- Keep pole top covered with cap at all times.
- Do not allow water in tank to freeze. During sub-freezing weather add 2 gallons of non-toxic antifreeze sand or empty tank completely and store. (Do not use salt.)
- While moving system, do not allow anyone to stand or sit on base or have added ballasting on base.
- Do not leave system unsupervised or play on system when wheels are engaged for moving.
- Use Caution when moving system across uneven surfaces. System may tip over.
- Use extreme caution if placing system on sloped surface. System may tip over more easily.
- See instruction manual for proper installation and maintenance.


## HEIGHT ADJUSTMENT

Backboard and rim height adjustment is from 7'-1/2' to 10'.

Rotate crank handle to raise and lower backboard






















Handle (R) can be removed or stored by removing small bolt (Z1) at the end of adjustment mechanism (Z)









## MOVING SYSTEM

1. Adjust basketball backboard height to lowest position.
2. While holding pole, rotate basketball system forward until wheels engage with ground.
3. Move basketball system to desired location.
4. Carefully rotate basketball system upright.
5. Check system for stability.







Use K4,K5 to connect K6 and BB,  
use K3 to connect the box plate and box




Install 3pcs main poles W, X, Y together as shown




Fix bracket Q, Plate L1 & L2 on the middle pole X by bolts set H1, H2, H3




1. The EE with K2 and M as below. use M1, M2, M3 bolt set to fix M, use K1 to connect K2 and EE. then lid K on the K2.




Fix the 3 piece main poles by bolt set G1, G2, G3



Fix the bottom pole Y on base BB by bolt J1. Make sure bracket Q face the back for next assemble step.




2. Fix top end of the U3, U4 on middle pole X by bolts set F1, F2, F3, F4, fix bottom end of braces U3 & U4 on the two sides of base BB by bolts set I1, I2, I3.




bolts set I1, I2, I3




finished view




Assemble ring AA on the front of backboard CC as shown. Please note that you must take apart the springs inside ring case before assemble the ring AA.




Install the backboard brace S, T on the back of backboard CC as shown.




Install backboard brace S, T on the top pole W





Install adjustment mechanism Z as shown.



Use screws to place DD on U3,U4 as shown



Put stone or sandy bag in BB



Fix the net P on ring AA



BB